

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	1	"09/921917"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:56
S5	1	spread\$3 adj1 factor and match\$3 adj1 filter\$3 and absolute with amplitude with de\$1spread\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:02
S6	2	spread\$3 adj1 factor with detect\$3 and match\$3 adj1 filter\$3 and amplitude with de\$1spread\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:05
S7	22	"5627845"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:03
S10	2	"5627845".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:03
S11	29	spread\$3 adj2 factor with detect\$3 and match\$3 with filter\$3 and amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:16
S12	2	spread\$3 adj1 factor adj1 detect\$3 and match\$3 with filter\$3 and amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:33
S14	1	10/332040	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:12
S15	15	spread\$3 adj1 factor adj1 detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:16
S16	5	spread\$3 adj1 factor adj1 detect\$3 and match\$3 with filter\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:25
S17	1	"6532250".PN.	USPAT; USOCR	OR	ON	2005/03/10 15:19

S18	1	"6292519".PN.	USPAT; USOCR	OR	ON	2005/03/10 15:23
S19	1	spread\$3 adj1 factor with calculat\$3 with absolute adj2 amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:25
S20	3	spread\$3 adj1 factor and calculat\$3 with absolute adj2 amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:32
S21	1	(spread\$3 adj1 factor or SF or ovSF) with calculat\$3 with absolute adj2 amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:32
S23	1	spread\$3 adj1 factor and match\$3 with filter\$3 with absolut\$3 with amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:34
S24	27	spread\$3 adj1 factor and match\$3 with filter\$3 with amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:54
S26	4	spread\$3 adj2 factor with match\$3 with filter\$3 with amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:42
S27	5	spread\$3 with factor with match\$3 with filter\$3 with amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:42
S28	0	spread\$3 adj1 factor and match\$3 with filter\$3 with absolut with amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:50
S29	1	spread\$3 with factor with match\$3 with filter\$3 with absolute with amplitude with de\$1spread\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:03
S30	1	spread\$3 with factor with match\$3 with filter\$3 with absolute with amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:07

S31	4	((johas with karisson) or (jeonghoon with han))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:09
S32	28	spread\$3 adj1 factor and calculat\$3 with match\$3 with filter\$3 and amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 06:06
S33	1	spread\$3 adj1 factor and calculat\$3 with match\$3 with filter\$3 with (integrand and difference) and amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 06:07
S34	1	spread\$3 adj1 factor and calculat\$3 with match\$3 with filter\$3 same (integrand and difference) and amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 06:08
S35	1	spread\$3 adj1 factor and calculat\$3 with match\$3 with filter\$3 same (integrand and difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 06:08
S36	1	spread\$3 adj1 factor and calculat\$3 with match\$3 with filter\$3 same (difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 06:16
S37	56	spread\$3 adj1 factor and match\$3 with filter\$3 same (difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 06:17
S38	50	spread\$3 adj1 factor and match\$3 adj2 filter\$3 same (difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 06:33
S39	17	spread\$3 adj1 factor and match\$3 adj2 filter\$3 with (difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 07:13
S40	1	spread\$3 adj1 factor and match\$3 adj2 filter\$3 with (difference) and calculat\$3 with integrand	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 06:17
S41	1	spread\$3 adj1 factor adj2 detector and match\$3 adj2 filter\$3 with (difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 07:14

S42	4	spread\$3 adj1 factor adj2 detector and match\$3 adj2 filter\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 07:14
S43	1	spread\$3 adj1 factor adj2 detector with match\$3 adj2 filter\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 07:14
S44	233	spread\$3 adj1 factor and match\$3 with filter\$3 and amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 07:36
S45	23	spread\$3 adj1 factor and match\$3 with filter\$3 and amplitude and SIR with process\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 08:02
S46	1	"6229043".PN.	USPAT; USOCR	OR	ON	2005/03/11 07:56
S47	1	"6229043".PN.	USPAT; USOCR	OR	ON	2005/03/11 07:56
S48	1	"6122292".PN.	USPAT; USOCR	OR	ON	2005/03/11 07:57
S49	1	"6088335".PN.	USPAT; USOCR	OR	ON	2005/03/11 07:57
S50	1	"6018528".PN.	USPAT; USOCR	OR	ON	2005/03/11 07:57
S51	1	"5991332".PN.	USPAT; USOCR	OR	ON	2005/03/14 15:23
S52	7	spread\$3 adj1 factor with estimat\$3 and match\$3 with filter\$3 with difference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 08:09
S53	11	calculat\$3 with threshold with likelihood adj2 ratio with compar\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 08:13
S54	1	calculat\$3 with threshold with likelihood adj2 ratio with compar\$5 and \$4zero adj2 rate with transm\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 08:12
S55	63	calculat\$3 with threshold with likelihood with compar\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 08:32

S56	5	calculat\$3 with threshold with likelihood with compar\$5 with (greater or less)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 08:15
S57	32	\$4zero adj2 rate adj2 transmi\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 08:18
S58	2	\$4zero adj2 rate adj2 transmi\$6 and threshold and likelihood with ratio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 08:22
S59	5	\$4zero adj2 rate adj2 transmi\$6 and threshold and likelihood	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 08:22
S60	11	calculat\$3 with threshold with likelihood adj1 ratio with compar\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 09:01
S61	6	calculat\$3 with threshold with likelihood adj1 ratio with compar\$5 and determin\$3 with (great\$3 or small\$3 or high\$3 or low\$3 or less)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 08:37
S62	11	calculat\$3 with threshold with ((likelihood adj1 ratio) or (test adj2 statistic)) with compar\$5 and determin\$3 with (great\$3 or small\$3 or high\$3 or low\$3 or less)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 08:42
S63	29	calculat\$3 with threshold with ((likelihood adj1 ratio) or (test adj2 statistic)) with compar\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 08:42
S67	7	de\$1scrambl\$3 and match\$3 adj2 filter\$3 and ((SF or spread\$3) adj1 factor with detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 08:50
S69	12	calculat\$3 with (threshold and likelihood adj1 ratio) with compar\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 09:02
S71	1	calculat\$3 with (threshold and likelihood adj1 ratio) with compar\$5 and determin\$3 with \$4zero with transmi\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 09:03

S74	3	calculat\$3 with ((threshold or (probability with ratio)) and likelihood adj1 ratio) with compar\$5 and determin\$3 with transmi\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 09:09
S75	1	plurality with match\$3 adj1 filter\$3 with unique adj1 spread\$3 adj1 factor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:49
S76	1	match\$3 adj1 filter\$3 with unique adj1 spread\$3 adj1 factor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:49
S77	28	"5991332"	USPAT; USOCR	OR	ON	2005/03/14 15:24
S78	6	"5991332" and spread\$3 adj2 factor	USPAT; USOCR	OR	ON	2005/03/14 15:26
S79	1	"5991332" and spread\$3 adj2 factor with (calclat\$3 or determin\$3)	USPAT; USOCR	OR	ON	2005/03/14 15:29
S80	2	"5991332" and ((spread\$3 adj2 factor) or SF) with (calclat\$3 or determin\$3)	USPAT; USOCR	OR	ON	2005/03/14 15:29